


Steel Decking


DW-48-600 Steel Decking Profile



Base Material Thk (mm)	Wt Covered Area (kg/m²)	I (cm⁴/m)	W (cm³/m)
0.80	10.46	43.24	12.35
0.90	11.77	48.65	13.9
1.00	13.08	54.05	15.44
1.20	15.70	64.86	18.53

Total Thickness (mm)	Base Material Thickness (mm)	Assemble Wt (kg/m²)	Condition Of Span (m)		
			1 Span	2 Spans	3 Spans
110	0.8	285	2.06	2.32	2.26
	0.9	287	2.14	2.41	2.34
	1.0	288	2.21	2.49	2.43
	1.2	291	2.35	2.64	2.57
120	0.8	310	2.02	2.26	2.21
	0.9	312	2.10	2.36	2.30
	1.0	313	2.17	2.45	2.38
	1.2	316	2.31	2.60	2.53
130	0.8	335	1.99	2.20	2.18
	0.9	337	2.06	2.32	2.26
	1.0	338	2.14	2.40	2.34
	1.2	341	2.27	2.55	2.48
140	0.8	360	1.95	2.15	2.14
	0.9	362	2.03	2.28	2.22
	1.0	363	2.10	2.36	2.30
	1.2	366	2.23	2.51	2.44
150	0.8	385	1.92	2.10	2.11
	0.9	387	2.00	2.22	2.19
	1.0	388	2.07	2.33	2.26
	1.2	391	2.19	2.47	2.40
160	0.8	410	1.89	2.05	2.07
	0.9	412	1.97	2.18	2.16
	1.0	413	2.04	2.29	2.23
	1.2	416	2.16	2.43	2.37


DW-65-610 Steel Decking Profile



Base Material Thk (mm)	Wt Covered Area (kg/m²)	I (cm⁴/m)	W (cm³/m)
0.80	12.31	98.60	22.41
0.90	13.85	110.93	25.21
1.00	15.39	123.25	28.01
1.20	18.47	147.90	33.61

Total Thickness (mm)	Base Material Thickness (mm)	Assemble Wt (kg/m²)	Condition Of Span (m)		
			1 Span	2 Spans	3 Spans
110	0.8	287	2.71	3.05	2.96
	0.9	289	2.81	3.17	3.08
	1.0	290	2.91	3.27	3.19
	1.2	293	3.08	3.47	3.38
120	0.8	312	2.66	2.99	2.91
	0.9	314	2.76	3.11	3.02
	1.0	315	2.86	3.22	3.13
	1.2	318	3.03	3.41	3.32
130	0.8	337	2.61	2.94	2.86
	0.9	339	2.71	3.05	2.97
	1.0	340	2.81	3.16	3.07
	1.2	343	2.98	3.35	3.26
140	0.8	362	2.57	2.89	2.81
	0.9	364	2.67	3.00	2.92
	1.0	365	2.76	3.11	3.02
	1.2	368	2.93	3.30	3.21
150	0.8	387	2.53	2.82	2.77
	0.9	389	2.63	2.96	2.88
	1.0	390	2.72	3.06	2.98
	1.2	393	2.88	3.24	3.16
160	0.8	412	2.49	2.76	2.73
	0.9	414	2.59	2.91	2.83
	1.0	415	2.68	3.01	2.93
	1.2	418	2.84	3.20	3.11


DW-65-675 Steel Decking Profile



Base Material Thk (mm)	Wt Covered Area (kg/m²)	I (cm⁴/m)	W (cm³/m)
0.80	9.13	81.16	17.27
0.90	10.47	91.31	19.43
1.00	11.63	101.45	21.59
1.20	13.96	121.74	25.91

Total Thickness (mm)	Base Material Thickness (mm)	Assemble Wt (kg/m²)	Condition Of Span (m)		
			1 Span	2 Spans	3 Spans
110	0.8	287	2.54	2.73	2.78
	0.9	289	2.64	2.89	2.89
	1.0	290	2.73	3.05	2.99
	1.2	293	2.89	3.25	3.17
120	0.8	312	2.49	2.66	2.73
	0.9	314	2.59	2.82	2.83
	1.0	315	2.68	2.97	2.93
	1.2	318	2.84	3.19	3.11
130	0.8	337	2.45	2.60	2.68
	0.9	339	2.54	2.75	2.78
	1.0	340	2.63	2.89	2.88
	1.2	343	2.79	3.14	3.06
140	0.8	362	2.41	2.54	2.62
	0.9	364	2.50	2.69	2.74
	1.0	365	2.59	2.83	2.83
	1.2	368	2.74	3.09	3.01
150	0.8	387	2.37	2.48	2.56
	0.9	389	2.46	2.63	2.70
	1.0	390	2.55	2.76	2.79
	1.2	393	2.70	3.02	2.96
160	0.8	412	2.33	2.43	2.51
	0.9	414	2.42	2.57	2.66
	1.0	418	2.51	2.70	2.75
	1.2	418	2.66	2.95	2.91


DW-7250 Steel Decking Profile



Base Material Thk (mm)	Wt Covered Area (kg/m²)	I (cm⁴/m)	W (cm³/m)
0.80	10.43	126.48	33.34
0.90	11.77	142.29	37.51
1.00	13.08	158.10	41.68
1.20	15.70	189.72	50.02

Total Thickness (mm)	Base Material Thickness (mm)	Assemble Wt (kg/m²)	Condition Of Span (m)		
			1 Span	2 Spans	3 Spans
150	0.8	270	2.98	3.35	3.26
	0.9	272	3.10	3.49	3.39
	1.0	273	3.20	3.60	3.51
	1.2	276	3.40	3.77	3.69
160	0.8	295	2.92	3.29	3.20
	0.9	297	3.04	3.42	3.33
	1.0	298	3.14	3.54	3.44
	1.2	301	3.33	3.71	3.64
170	0.8	320	2.87	3.23	3.14
	0.9	322	2.98	3.36	3.27
	1.0	323	3.09	3.47	3.38
	1.2	326	3.27	3.66	3.59
180	0.8	345	2.82	3.18	3.09
	0.9	347	2.93	3.30	3.21
	1.0	348	3.03	3.42	3.32
	1.2	351	3.22	3.62	3.53


DW-720 Steel Decking Profile



Base Material Thk (mm)	Wt Covered Area (kg/m ²)	I (cm ⁴ /m)	W (cm ³ /m)
0.80	8.72	51.64	16.55
0.90	9.81	58.10	18.62
1.00	10.9	64.55	20.69
1.20	13.08	77.46	24.82

Total Thickness (mm)	Base Material Thickness (mm)	Assemble Wt (kg/m ²)	Condition Of Span (m)		
			1 Span	2 Spans	3 Spans
120	0.8	247	2.80	3.15	3.06
	0.9	249	2.90	3.27	3.18
	1.0	250	3.01	3.38	3.29
	1.2	252	3.19	3.59	3.49
130	0.8	272	2.74	3.08	3.00
	0.9	274	2.85	3.20	3.12
	1.0	275	2.95	3.31	3.23
	1.2	277	3.12	3.52	3.42
140	0.8	297	2.69	3.02	2.94
	0.9	299	2.79	3.14	3.06
	1.0	300	2.89	3.25	3.16
	1.2	302	3.07	3.45	3.36
150	0.8	322	2.64	2.97	2.89
	0.9	324	2.74	3.09	3.00
	1.0	325	2.84	3.19	3.11
	1.2	327	3.01	3.39	3.30

DW-688 Steel Decking Profile



Base Material Thk (mm)	Wt Covered Area (kg/m ²)	I (cm ⁴ /m)	W (cm ³ /m)
0.80	9.13	119.88	28.54
0.90	10.27	134.87	32.11
1.00	11.41	149.85	35.68
1.20	13.69	179.82	42.82

Total Thickness (mm)	Base Material Thickness (mm)	Assemble Wt (kg/m ²)	Condition Of Span (m)		
			1 Span	2 Spans	3 Spans
150	0.8	299	2.80	2.68	3.07
	0.9	300	2.90	2.79	3.26
	1.0	301	3.01	2.89	3.43
	1.2	304	3.19	3.06	3.75
160	0.8	324	2.74	2.64	3.00
	0.9	325	2.85	2.74	3.17
	1.0	326	2.95	2.83	3.34
	1.2	329	3.12	3.01	3.65
170	0.8	349	2.69	2.59	2.92
	0.9	350	2.79	2.69	3.10
	1.0	351	2.89	2.79	3.26
	1.2	354	3.07	2.96	3.57
180	0.8	374	2.64	2.55	2.86
	0.9	375	2.74	2.65	3.03
	1.0	376	2.84	2.74	3.19
	1.2	379	3.01	2.91	3.48